




COVER RAILBOX



HINGED PANEL




HOOK



SPRING

2:1



General information:
 - Workpiece zero point for mechanical processing
 - Minimum recommended radius for machining = R1.0 mm
 - Mounting rail like EN 60715:TH 35-15
 - Recommended PCB outline on www.italtronic.com

RIF.	Q.TY	DRAWING	DESCRIPTION
1	1	2_110_00054	BASE RAILBOX VERTICAL 12.5 MM
2	1	2_110_00055	COVER RAILBOX VERTICAL 5 MM - 2017
3	1	2_110_00032	HOOK RAILBOX
4	1	2_110_00008	HINGED PANEL RAILBOX 12 MM
5	1	2_110_00011	SPRING FOR HOOK RAILBOX



General Tolerances (UNI EN 22768/1) Media [mm]			
from 0.5 to 3	from 3 to 6	from 6 to 30	from 30 to 120
±0.1	±0.1	±0.2	±0.3

Scale:	Drawn:	Checked:	Date:	Material:	Process:
1:1	M.S.	R.N.	02/08/2023		




Dimension in mm	Weight:	Cod. Mold:
	gr	--

Description:		Rev.:
KIT CONTENITORE RAILBOX STANDARD 17.5 MM KIT ENCLOSURE RAILBOX STANDARD 17.5 MM		
Drawing n°:		
3_110_00017		

PCB V



PVxx-5.08-H-M



example for assambling PCB
with adapter "PCB RAILBOX
VERTICAL"

General Tolerance UNE EN 22768/1 Medio (m)				Sheet:	
from 0.5 to 3 ± 0.1	from 3 to 6 ± 0.1	from 6 to 30 ± 0.2	from 30 to 120 ± 0.3	from 120 to 400 ± 0.5	PCB
Scale:	Drawn:	Checked:	Date:	Material:	Process:
2:1	M.S.	R.N.	02/08/2023		
Dimension in mm	Derived from:		Weight:	Cod. Mold:	
			gr	--	
Description:				Rev.:	
 enclosures for electronics italtronic.com				KIT CONTENITORE RAILBOX STANDARD 17.5 MM KIT ENCLOSURE RAILBOX STANDARD 17.5 MM Drawing n°: 3_110_00017 Rev.: - A1	

NO COMPONENTS AREA